EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|---------------------|---------|---------------------|
| L1 | 2257 | (381/323,314,312,60,323,313), COLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 23:29 |
| L2 | 450 | (706/13),CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 23:29 |
| L3 | 609 | (600/559). CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 23:29 |
| L4 | 20 | [("200110055404") or ("20030007647") or ("20040066944") or ("20040066940") or ("20040202340") or ("200502116883") or ("20050283263") or ("20060221941") or ("2007009181") or ("724433") or ("6885752") or ("7006646") or ("7243842")). PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 |
| L5 | 1 | L4 and genetic near10 algorithm | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 23:43 |
| SI | 1 | (processor computer) with assign\$3 with (probability near2 select\$3) with (set\$1 group\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/12 13:23 |
| S2 | 14 | assign\$3 with (probability near2 select\$3 near3 (set\$1 group\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/16 18:47 |
| S8 | 2 | durant.in. and (hearing adj2 aids) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 13:46 |
| S9 | 38 | starkey.AS. and (hearing adj2 aids) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 13:47 |
| S10 | 2 | (("6888948") or ("6035050")).PN. | USPAT | OR | OFF | 2007/09/14 17:08 |

| S11 | 12 | arndt.in. and program\$3 same (hearing adj2 aid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 13:50 |
|------|----|---|--|----|-----|---------------------|
| S12 | 91 | "381"/\$.cols. and program\$3 same (hearing adj2 aid) same (rank\$3 priority order) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 13:55 |
| S13 | 2 | 381"/\$.ccls. and program\$3 same (hearing adj2 aid) same (rank\$3 priority) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 13:56 |
| S14 | 6 | (hearing adj2 aid) with (rank\$3 priority) with (data set\$1 group\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 14:18 |
| S15 | 12 | ("20040077315" "20040198223" "20040198464" "4920570" "4972487" "5083312" "5553152" "5659621" "6229900" "6240194" "6763116" "6871067").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/09/14 13:58 |
| S16 | 1 | (hearing adj2 aid) with (rank\$3 priority) with (genetic adj2 algorithm) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 14:18 |
| S17 | 4 | (hearing adj2 aid) same (rank\$3 priority) same (genetic adj2 algorithm) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 14:19 |
| S18 | 2 | ("4953112" "6157861").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/09/14 14:19 |
| S19 | 8 | (hearing adj2 aid) same (genetic adj2 algorithm) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 14:39 |
| \$20 | 2 | (hearing adj2 aid) same (genetic adj2 algorithm) same converg\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 14:26 |
| S21 | 1 | (hearing adj2 aid) same crossover same mutation | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 14:44 |
| S22 | 7 | (hearing adj2 aid) and (crossover same mutation) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 16:01 |

| \$23 | 2 | ("4953112" "6157861").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/09/14 14:47 |
|------|-----|---|--|----|-----|---------------------|
| S24 | 1 | ("7149320").PN. | USPAT | OR | OFF | 2007/09/14 15:03 |
| S25 | 3 | wakefield.in. and genetic adj2 algorithm | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/14 16:23 |
| S26 | 4 | assign\$3 with (probability near2 select\$3 near3 (music audio playlists songs)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/16 18:48 |
| \$27 | 113 | assign\$3 near2 (probability near2 select\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2007/09/16 18:49 |
| \$28 | 2 | durant.in. and (hearing adj2 aids) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:56 |
| \$29 | 2 | durant.in. and (hearing adj2 aid\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:56 |
| \$30 | 58 | starkey.AS. and (hearing adj2 aid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:57 |
| S31 | 0 | starkey.AS. and (hearing adj2 aid) near20 children near20 parent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:57 |
| \$32 | 0 | starkey.AS. and (hearing adj2 aid) and children and parent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:57 |
| S33 | 0 | starkey. AS. and (hearing adj2 aid) near20 parent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:58 |
| S34 | 9 | starkey.AS. and (hearing adj2 aid) and child \$3 and parent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 11:58 |

| S35 | 276 | "381"/\$.ccls. and (hearing adj2 aid) and child \$3 and parent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:01 |
|-----|------|---|--|----|-----|---------------------|
| S36 | 1 | "381"/\$.ccls. and (hearing adj2 aid) and (child\$3 near20 parent near20 (group\$3 set \$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:01 |
| S37 | 1 | "381"/\$.ccis. and (hearing adj2 aid) and (child\$3 same parent same (group\$3 set\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:02 |
| S38 | 1246 | (381/312).CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:02 |
| 539 | 216 | (381/314).CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:03 |
| S40 | 406 | (381/323). CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:03 |
| S41 | 264 | (381/60).CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:03 |
| S42 | 4 | (hearing ad]2 aid) and (child\$3 near20 parent near20 (group\$3 set\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:03 |
| S43 | 51 | (storage memory disc disk) near20 parent near20 (group\$3 set\$1) near20 (select\$3 choos\$3 pick\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:05 |
| S44 | 58 | (crossover mutation) near20 parent near20 (group\$3 set\$1) near20 (select\$3 choos\$3 pick\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:08 |
| S45 | 8 | (crossover mutation) near20 parent near20 (group\$3 set\$1) near20 (select\$3 choos\$3 pick\$3) near20 (hierarchy rank\$3 probability) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:11 |

| S46 | 1 | (crossover mutation) near20 parent near20 (group\$3 set\$1) near20 (select\$3 choos\$3 pick\$3) near20 (hierarchy rank\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/07 12:13 |
|-----|------|--|--|----|-----|---------------------|
| S47 | 28 | (("20010007050") or ("20020076073") or ("3527901") or ("4366349") or ("4396806") or ("4319544") or ("4396806") or ("4419544") or ("43471490") or ("63390254") or ("63390254") or ("5390254") or ("55390254") or ("5559768") or ("5559768") or ("5559768") or ("5559733") or ("5822442") or ("5552668") or ("5610128") or ("5852668") or ("6801128") or ("5368683") or ("6801128") or ("6368633") or ("636912") or ("6369142") or ("636912") or ("6369142") or (" | US-PGPUB; USPAT | OR | OFF | 2008/04/12 11:49 |
| S49 | 9 | (hearing adj2 aid) same (genetic near2 algorithm\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 11:54 |
| S50 | 1 | (hearing adj2 aid) same (genetic near2 algorithm\$1) same parent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:03 |
| S51 | 571 | (600/559). CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:04 |
| S52 | 1247 | (381/312). CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:04 |
| S53 | 406 | (381/323).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:04 |
| S54 | 216 | (381/314).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:04 |
| S55 | 1 | (hearing adj2 aid) same (genetic near2 algorithm\$1) same pair\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:06 |
| S56 | 15 | (genetic near2 algorithm\$1) near20 parent \$1 near20 pair\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:08 |

| S57 | 3 | S49 and (parent\$1 same pair\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:26 |
|-----|-----|---|--|----|-----|---------------------|
| S58 | 5 | S49 and (population) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:26 |
| S59 | 5 | (genetic near2 algorithm\$1) and ((memory stor\$3) near20 population near20 pair\$1 near20 parent\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:40 |
| S60 | 5 | (genetic near2 algorithm\$1) and ((memory stor\$3) near20 population near20 pair\$1 near20 parent\$1) and select\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:43 |
| 361 | 4 | (genetic near2 algorithm\$1) and ((toggl\$3 select\$3) near20 between near20 pair near20 parent) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 12:47 |
| 962 | 269 | (381/313). COLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 13:27 |
| 363 | 0 | S47 and genetic near2 algorithm | US-PGPUB; USPAT | OR | OFF | 2008/04/12 13:30 |
| 364 | 1 | ("6888948"). PN. | USPAT | OR | OFF | 2008/04/12 13:30 |
| S65 | 387 | (706/13).CQ.S. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/12 13:52 |
| 966 | 1 | durant.in. and (hearing adj2 aids) and (pair \$1 same set\$1 same parent\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/14 09:15 |
| 967 | 1 | ("7343021"). PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/14 13:14 |
| S68 | 0 | S87 and (mutation same crossover) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/14 13:15 |
| S69 | 0 | S87 and (crossover) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/14 13:15 |

| S70 | 0 | "381"/\$.ccls. and (hearing adj2 aid) and (rank\$3 near5 parameter\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/14 13:39 |
|-----|-------|--|--|----|-----|---------------------|
| S71 | 203 | "381"/\$.cds. and (hearing adj2 aid) and ((rank\$3 order\$3 rat\$3 plac\$3) near5 parameter\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/14 13:41 |
| S72 | 2 | "381"/\$.ccls. and (hearing adj2 aid) and ((assign\$3 allot\$3 attribut\$3 delgat\$3 portion \$3 specify\$3) near5 (chance probability likelihood measure quality) near5 (select\$3 choos\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/14 13:43 |
| S73 | 32 | ["20010007050" "20010055404" "20020071582" "200200705073" "3527901" "4366349" "4396806" "4419544" "4471490" "4657402" "482782" "590254" 54543924" "5502789" "5553152" "5581747" "569821" "5717770" "5757933" "5822642" "5862238" "6801129" "6236731" "6240192" "6347148" "6236731" "6294192" "6347148" | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/04/14 14:30 |
| S74 | 4 | (("20010005420") or ("4471171") or ("5793644") or ("5946673")).PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/14 14:58 |
| S75 | 1 | ("6148274"). PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/14 14:58 |
| S76 | 1 | S75 and fitness | USPAT | OR | OFF | 2008/04/14 14:59 |
| S77 | 1 | S75 and fitness and probability | USPAT | OR | OFF | 2008/04/14 15:06 |
| S78 | 13548 | GA and (histogram probability) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:20 |
| S79 | 2001 | (genetic adj2 algorithm) and (histogram probability) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:21 |
| S80 | 548 | (genetic adj2 algorithm) and ((histogram probability) near5 select\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:22 |
| S81 | 41 | (genetic adj2 algorithm) and ((histogram probability) near5 select\$3) and ((stor\$3 memory) near20 (data parameter parent) near20 set\$1 near20 select\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:27 |

| S82 | 7 | (genetic adj2 algorithm) and ((histogram probability) near5 select\$3) and ((stor\$3 memory) near20 (data parameter parent) near20 set\$1 near20 select\$3) and (crossover same mutat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:28 |
|-----|--------|---|--|----|-----|---------------------|
| S83 | 7 | ((histogram probability) near5 select\$3) and ((stor\$3 memory) near20 (data parameter parent) near20 set\$1 near20 select\$3) and (crossover same mutat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:31 |
| S84 | 1 | [(assign\$3 allot\$3 delegat\$3 specify\$3 imput \$3) near5 probability near5 select\$3) and ((stor\$3 memory) near20 (data parameter parent) near20 set\$1 near20 select\$3) and (crossover same mutat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:34 |
| S85 | 407 | ((assign\$3 allot\$3 delegat\$3 specify\$3 imput \$3) near5 probability near5 select\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:36 |
| S86 | 61 | ((assign\$3 allot\$3 delegat\$3 specify\$3 imput \$3) adj2 probability adj2 select\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:37 |
| S87 | 3 | (stor\$3 memory) near20 (data parameter parent) near20 sel\$1 near20 select\$3 near20 pair\$1 near20 (rank\$3 hierarch\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:50 |
| S88 | 213050 | ((stor\$3 memory) near20 (data parameter parent) near20 set\$1) sane (select\$3 near10 pair\$1) same (rank\$3 hierarch\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:52 |
| S89 | 1 | ((stor\$3 memory) near20 (data parameter parent) near20 set\$1) same (select\$3 near10 pair\$1) same (rank\$3 hierarch\$4) same (toggle switch\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:53 |
| S90 | 0 | (((stor\$3 memory) near3 population) near20 (data parameter parent) near20 set\$1) near20 (select\$3 near10 pair\$1) near20 (toggle switch\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:55 |
| S91 | 0 | (stor\$3 memory) near20 population near20 (data parameter parent) near20 set\$1 near20 (select\$3 near10 pair\$1) near20 (toggle switch\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:56 |
| S92 | 615 | ((stor\$3 memory) near20 (data parameter parent) near20 set\$1 near20 (toggle switch \$3)) and (select\$3 near10 pair\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:57 |

| S93 | 54 | ((stor\$3 memory) near20 (data parameter parent) near20 set\$1 near20 (toggle switch \$3)) same (select\$3 near10 pair\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/15 10:57 |
|------|----|--|--|----|-----|---------------------|
| S94 | 0 | genetic near10 algorithm near10 (decid\$3 determin\$3) near10 first near10 second near10 third near10 (groups sets) near10 pair | USPAT | OR | OFF | 2008/04/16 10:16 |
| S95 | 1 | genetic near10 algorithm near10 (decid\$3 determin\$3) near10 first near10 second near10 third near10 (groups sets) near10 pair | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 10:16 |
| S96 | 1 | genetic near10 algorithm near10 (replac\$3 substitut\$3 supplant\$3) near10 parent near10 child near10 set\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 10:18 |
| S97 | 1 | genetic near20 algorithm near20 (replac\$3 substitut\$3 supplant\$3) near20 parent near20 child near20 set\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 10:19 |
| S98 | 1 | ("6148274"). PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/16 10:31 |
| S99 | 1 | S98 and (hearing near5 aid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 10:31 |
| S100 | 2 | (replac\$3 substitut\$3 supplant\$3) near10 (weak\$3 dilut\$2 imp\$3 imperfect soft\$3) near10 (parent) near10 child | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 10:56 |
| S101 | 1 | S98 and (converg\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 11:00 |
| S102 | 1 | ("6148274").PN. | US-PGPUB; USPAT | OR | OFF | 2008/04/16 13:55 |
| S103 | 1 | S102 and (order\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/04/16 13:55 |
| S104 | 7 | (("20040190739") or ("20050129262") or ("20070217620") or ("20070217628") or ("20070219784") or ("20070276285") or ("6718301")).PN. | US-PGPUB; USPAT | OR | OFF | 2008/11/06 10:54 |
| S105 | 1 | durant.in. and (hearing adj2 aids) and population | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/11/07 09:41 |

| S106 | 420 | [706/13).00LS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/11/07 10:51 |
|------|------|--|--|----|-----|---------------------|
| S107 | 2149 | (381/323,314,312,60,323,313). OCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/11/07 10:51 |
| S108 | 587 | (600/559).CQLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/11/07 10:51 |
| S109 | 5 | (genetic near5 algorithm) near20 (hearing near5 aid) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/04 13:15 |
| S110 | 1 | durant.in. and (hearing adj2 aids) and (second near10 population near10 child\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 18:53 |
| S111 | 1 | durant.in. and (hearing adj2 aids) and (second near10 population near10 child\$3) and toggle | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2009/06/07 18:54 |

^{6/7/2009 11:43:36} PM C:\ Documents and Settings\ dfaulk\ My Documents\ EAST\ Workspaces\ 10051757.wsp